

PHP Version 5.2.17

System	Linux r1.configdns.net 2.6.32-358.11.1.el6.x86_64 #1 SMP Wed Jun 12 03:34:52 UTC 2013 x86_64
Build Date	Dec 6 2013 18:00:32
Configure Command	'./configure' '--with-apxs2' '--with-curl=/usr/local/lib' '--with-gd' '--enable-gd-native-ttf' '--with-ttf' '--with-gettext' '--with-jpeg-dir=/usr/local/lib' '--with-freetype-dir=/usr/local/lib' '--with-kerberos' '--with-openssl' '--with-mcrypt' '--with-mhash' '--with-mysql=/usr' '--with-mysqli=/usr/bin/mysql_config' '--with-pcre-regex=/usr/local' '--with-pdo-mysql=/usr' '--with-pear' '--with-png-dir=/usr/local/lib' '--with-xsl' '--with-zlib' '--with-zlib-dir=/usr/local/lib' '--enable-zip' '--with-iconv=/usr/local' '--enable-bcmath' '--enable-calendar' '--enable-ftp' '--enable-soap' '--enable-magic-quotes' '--enable-sockets' '--enable-mbstring' '--with-imap' '--with-imap-ssl'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/lib
Loaded Configuration File	/usr/local/lib/php.ini
Scan this dir for additional .ini files	(none)
additional .ini files parsed	(none)
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, data, http, ftp, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.2.0, Copyright (c) 1998-2010 Zend Technologies
 with the ionCube PHP Loader v4.4.0, Copyright (c) 2002-2013, by ionCube Ltd., and
 with Zend Optimizer v3.3.3, Copyright (c) 1998-2007, by Zend Technologies
 with Suhosin v0.9.33, Copyright (c) 2007-2012, by SektionEins GmbH

**PHP Credits**

Configuration

PHP Core

Directive	
allow_call_time_pass_reference	On
allow_url_fopen	On
allow_url_include	Off
always_populate_raw_post_data	Off
arg_separator.input	&
arg_separator.output	&
asp_tags	Off
auto_append_file	<i>no value</i>
auto_globals_jit	On
auto_prepend_file	<i>no value</i>
browscap	<i>no value</i>
default_charset	<i>no value</i>
default_mimetype	text/html
define_syslog_variables	Off
disable_classes	<i>no value</i>
disable_functions	dl,virtual,curl_multi_exec,show_source,expose_php,disk_total_space,disk_free_space,myshelexec,shell,sy
display_errors	On
display_startup_errors	Off
doc_root	<i>no value</i>
docref_ext	<i>no value</i>
docref_root	<i>no value</i>
enable_dl	On
error_append_string	<i>no value</i>
error_log	<i>no value</i>
error_prepend_string	<i>no value</i>
error_reporting	6135
expose_php	On
extension_dir	/usr/local/lib/php/extensions/no-debug-non-zts-20060613/
file_uploads	On
highlight.bg	#FFFFFF
highlight.comment	#FF8000
highlight.default	#0000BB
highlight.html	#000000
highlight.keyword	#007700
highlight.string	#DD0000
html_errors	On
ignore_repeated_errors	Off
ignore_repeated_source	Off
ignore_user_abort	Off
implicit_flush	Off
include_path	./usr/local/lib/php
log_errors	Off

log_errors_max_len	1024
magic_quotes_gpc	On
magic_quotes_runtime	Off
magic_quotes_sybase	Off
mail.force_extra_parameters	<i>no value</i>
max_execution_time	30
max_file_uploads	100
max_input_nesting_level	64
max_input_time	60
memory_limit	128M
open_basedir	/home/colibri:/tmp:/var/tmp:/usr/local/lib/php/
output_buffering	<i>no value</i>
output_handler	<i>no value</i>
post_max_size	10M
precision	12
realpath_cache_size	16K
realpath_cache_ttl	120
register_argc_argv	On
register_globals	Off
register_long_arrays	On
report_memleaks	On
report zend debug	On
safe_mode	Off
safe_mode_exec_dir	<i>no value</i>
safe_mode_gid	Off
safe_mode_include_dir	<i>no value</i>
sendmail_from	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i -f colibri@hostmd.biz
serialize_precision	100
short_open_tag	On
SMTP	localhost
smtp_port	25
sql.safe_mode	Off
track_errors	Off
unserialize_callback_func	<i>no value</i>
upload_max_filesize	32M
upload_tmp_dir	<i>no value</i>
user_dir	<i>no value</i>
variables_order	EGPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
y2k_compliance	On
zend.ze1_compatibility_mode	Off

apache2handler

Apache	Apache
--------	--------

Version	
Apache API Version	20051115
Server Administrator	webmaster@hostmd.biz
Hostname:Port	www.hostmd.biz:0
User/Group	apache(498)/500
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 45 - Keep-Alive: 1
Virtual Server	Yes
Server Root	/etc/httpd
Loaded Modules	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_reqtimeout mod_include mod_filter mod_deflate mod_log_config mod_logio mod_env mod_expires mod_headers mod_unique_id mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_scgi mod_proxy_ajp mod_proxy_balancer mod_ssl prefork http_core mod_mime mod_dav mod_status mod_autoindex mod_asis mod_suexec mod_cgi mod_dav_fs mod_dav_lock mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_rpfaf-2 mod_ruid2 mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	Usgpu7AffHUAABN9AJwAAAA4
HTTP_COOKIE	__oa_id=LDC9Jk1Tub.1387391939.20.1388849416.1388841530; __oa_ses=1.1
HTTP_HOST	www.hostmd.biz
HTTP_X_REAL_IP	109.185.253.231
HTTP_X_FORWARDED_FOR	109.185.253.231
HTTP_CONNECTION	close
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:21.0) Gecko/20100101 Firefox/21.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.5
HTTP_CACHE_CONTROL	max-age=0
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache
SERVER_NAME	www.hostmd.biz
SERVER_ADDR	127.0.0.1
SERVER_PORT	80
REMOTE_ADDR	109.185.253.231
DOCUMENT_ROOT	/home/colibri/domains/hostmd.biz/public_html
SERVER_ADMIN	webmaster@hostmd.biz
SCRIPT_FILENAME	/home/colibri/domains/hostmd.biz/public_html/phpinfo.php
REMOTE_PORT	41154

GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.0
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/phpinfo.php
SCRIPT_NAME	/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /phpinfo.php HTTP/1.0
Cookie	__oa_id=LDC9Jk1Tub.1387391939.20.1388849416.1388841530; __oa_ses=1.1
Host	www.hostmd.biz
X-Real-IP	109.185.253.231
X-Forwarded-For	109.185.253.231
Connection	close
User-Agent	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:21.0) Gecko/20100101 Firefox/21.0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en-US,en;q=0.5
Cache-Control	max-age=0
HTTP Response Headers	
X-Powered-By	PHP/5.2.17
Vary	Accept-Encoding,User-Agent
Connection	close
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.19.7 NSS/3.14.0.0 zlib/1.2.3 libidn/1.18 libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	2010.9
Timezone Database	internal
Default timezone	Europe/Moscow

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ffmpeg

ffmpeg-php version	0.6.0-svn
ffmpeg-php built on	Jun 19 2013 20:18:11
ffmpeg-php gd support	enabled
ffmpeg libavcodec version	Lavc52.108.0
ffmpeg libavformat version	Lavf52.93.0
ffmpeg swscaler version	SwS0.12.0

Directive	Local Value	Master Value
ffmpeg.allow_persistent	0	0
ffmpeg.show_warnings	0	0

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.12
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	1.14

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2007e
SSL Support	enabled

Kerberos Support	enabled
-------------------------	---------

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.7.6
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
-----------	-------------	--------------

mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	20060101

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.70
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.1.70
Client API header version	5.1.70
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 1.0.0-fips 29 Mar 2010

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.20 2011-10-21

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL, client library version	5.1.70
---	--------

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	(bundled) 1.0.1 \$Id: pdo_sqlite.c 293036 2010-01-03 09:23:27Z sebastian \$
SQLite Library	3.3.7

posix

Revision	\$Revision: 293036 \$
-----------------	-----------------------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c 300129 2010-06-03 00:43:37Z felipe \$

session

Session Support	enabled
Registered save handlers	files user sqlite

Registered serializer handlers	php php_binary
--------------------------------	----------------

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299016 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, Infiltrator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i colibri@hostmd.biz

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

suhosin

This server is protected with the Suhosin Extension 0.9.33

수호신

Copyright (c) 2006-2007 [Hardened-PHP Project](#)

Copyright (c) 2007-2012 [SektionEins GmbH](#)

Directive	Local Value	Master Value
suhosin.apc_bug_workaround	Off	Off
suhosin.cookie.checkraddr	0	0
suhosin.cookie.cryptdocroot	On	On
suhosin.cookie.cryptkey	[protected]	[protected]
suhosin.cookie.cryptlist	<i>no value</i>	<i>no value</i>
suhosin.cookie.cryptraddr	0	0
suhosin.cookie.cryptua	On	On
suhosin.cookie.disallow_nul	1	1
suhosin.cookie.disallow_ws	1	1
suhosin.cookie.encrypt	Off	Off
suhosin.cookie.max_array_depth	50	50
suhosin.cookie.max_array_index_length	64	64
suhosin.cookie.max_name_length	64	64
suhosin.cookie.max_totalname_length	256	256
suhosin.cookie.max_value_length	10000	10000
suhosin.cookie.max_vars	100	100
suhosin.cookie.plainlist	<i>no value</i>	<i>no value</i>
suhosin.coredump	Off	Off
suhosin.disable.display_errors	Off	Off
suhosin.executor.allow_symlink	Off	Off
suhosin.executor.disable_emoji	Off	Off
suhosin.executor.disable_eval	Off	Off
suhosin.executor.eval.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.eval.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.allow_writable_files	On	On
suhosin.executor.include.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.max_traversal	0	0
suhosin.executor.include.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.max_depth	0	0
suhosin.filter.action	<i>no value</i>	<i>no value</i>
suhosin.get.disallow_nul	1	1
suhosin.get.disallow_ws	0	0
suhosin.get.max_array_depth	50	50
suhosin.get.max_array_index_length	64	64
suhosin.get.max_name_length	64	64
suhosin.get.max_totalname_length	256	256
suhosin.get.max_value_length	4096	4096
suhosin.get.max_vars	100	100
suhosin.log.file	0	0

suhosin.log.file.name	<i>no value</i>	<i>no value</i>
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	0	0
suhosin.log.script	0	0
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	0	0
suhosin.log.syslog.facility	LOG_USER	LOG_USER
suhosin.log.syslog.priority	LOG_ALERT	LOG_ALERT
suhosin.log.use-x-forwarded-for	Off	Off
suhosin.mail.protect	2	2
suhosin.memory_limit	32M	32M
suhosin.mt_srand.ignore	On	On
suhosin.multiheader	Off	Off
suhosin.perdir	0	0
suhosin.post.disallow_nul	1	1
suhosin.post.disallow_ws	0	0
suhosin.post.max_array_depth	50	50
suhosin.post.max_array_index_length	64	64
suhosin.post.max_name_length	64	64
suhosin.post.max_totalname_length	256	256
suhosin.post.max_value_length	1000000	1000000
suhosin.post.max_vars	4096	4096
suhosin.protectkey	On	On
suhosin.request.disallow_nul	1	1
suhosin.request.disallow_ws	0	0
suhosin.request.max_array_depth	50	50
suhosin.request.max_array_index_length	64	64
suhosin.request.max_totalname_length	256	256
suhosin.request.max_value_length	1000000	1000000
suhosin.request.max_varname_length	64	64
suhosin.request.max_vars	4096	4096
suhosin.server.encode	On	On
suhosin.server.strip	On	On
suhosin.session.checkraddr	0	0
suhosin.session.cryptdocroot	On	On
suhosin.session.cryptkey	[protected]	[protected]
suhosin.session.cryptraddr	0	0
suhosin.session.cryptua	Off	Off
suhosin.session.encrypt	On	On
suhosin.session.max_id_length	128	128
suhosin.simulation	Off	Off
suhosin.sql.bailout_on_error	Off	Off
suhosin.sql.comment	0	0
suhosin.sql.multiselect	0	0
suhosin.sql.opencomment	0	0

suhosin.sql.union	0	0
suhosin.sql.user_postfix	<i>no value</i>	<i>no value</i>
suhosin.sql.user_prefix	<i>no value</i>	<i>no value</i>
suhosin.srand.ignore	On	On
suhosin.stealth	On	On
suhosin.upload.disallow_binary	0	0
suhosin.upload.disallow_elf	1	1
suhosin.upload.max_uploads	25	25
suhosin.upload.remove_binary	0	0
suhosin.upload.verification_script	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
------------------	---------

xmlwriter

XMLWriter	enabled
------------------	---------

xsl

XSL	enabled
libxslt Version	1.1.28
libxslt compiled against libxml Version	2.7.6
EXSLT	enabled
libexslt Version	1.1.28

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	enabled

Zend Loader	enabled
License Path	<i>no value</i>
Obfuscation level	3

zip

Zip	enabled
Extension Version	\$Id: php_zip.c 305848 2010-11-30 11:04:06Z pajoye \$
Zip version	1.8.11
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader

Environment

Variable	Value
LANG	C
PATH	/usr/local/bin:/usr/bin:/bin
LC_MESSAGES	en_US

PHP Variables

Variable	Value
_REQUEST["__oa_id"]	LDC9Jk1Tub.1387391939.20.1388849416.1388841530
_REQUEST["__oa_ses"]	1.1
_COOKIE["__oa_id"]	LDC9Jk1Tub.1387391939.20.1388849416.1388841530
_COOKIE["__oa_ses"]	1.1
_SERVER["UNIQUE_ID"]	Usgpu7AffHUAABN9AJwAAAA4

_SERVER["HTTP_COOKIE"]	__oa_id=LDC9Jk1Tub.1387391939.20.1388849416.1388841530; __oa_ses=1.1
_SERVER["HTTP_HOST"]	www.hostmd.biz
_SERVER["HTTP_X_REAL_IP"]	109.185.253.231
_SERVER["HTTP_X_FORWARDED_FOR"]	109.185.253.231
_SERVER["HTTP_CONNECTION"]	close
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64; rv:21.0) Gecko/20100101 Firefox/21.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.5
_SERVER["HTTP_CACHE_CONTROL"]	max-age=0
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["SERVER_NAME"]	www.hostmd.biz
_SERVER["SERVER_ADDR"]	127.0.0.1
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	109.185.253.231
_SERVER["DOCUMENT_ROOT"]	/home/colibri/domains/hostmd.biz/public_html
_SERVER["SERVER_ADMIN"]	webmaster@hostmd.biz
_SERVER["SCRIPT_FILENAME"]	/home/colibri/domains/hostmd.biz/public_html/phpinfo.php
_SERVER["REMOTE_PORT"]	41154
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.0
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["REQUEST_TIME"]	1388849595
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["LANG"]	C
_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin
_ENV["LC_MESSAGES"]	en_US

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.